

## Overview

# Ferromatik K-Tec 110-111H-111V-2F, 2011

Ferromatik Milacron

Product number: 40012



Price

## Price on request

Prices excl. VAT plus shipping costs



## Description



terms of delivery: EXW (ex Works)  
delivery time: on request  
terms of payment: 100% prior to delivery

## Product information

<b>01-manufacturer:</b>	Feromatik Milacron
<b>02-type:</b>	K-Tec 110-111H-111V-2F
<b>03-year of construction:</b>	2011
<b>04-condition:</b>	technisch überarbeitet
<b>05-operating hours:</b>	40.885
<b>10-CLAMPING UNIT:</b>	-
<b>11-clamping force:</b>	110 t
<b>12-opening path:</b>	550 mm
<b>13-mould installation height min:</b>	250 mm + 200 mm
<b>15-tie bar distance (h x v):</b>	470 x 470 mm
<b>16-plate dimension (h x v):</b>	690 x 690 mm
<b>17-centering (fix- movingplate):</b>	125 / 125 mm
<b>20-1. INJECTION UNIT:</b>	111 H
<b>21-screw diameter:</b>	25 mm
<b>22-injection weight in polystyrol:</b>	45 g
<b>23-stroke volume:</b>	49 cm <sup>3</sup>
<b>24-injection pressure:</b>	2.254 bar
<b>30-2. INJECTION UNIT:</b>	111 V
<b>31-screw diameter:</b>	18 mm
<b>32-stroke volume:</b>	25 cm <sup>3</sup>
<b>33-injection weight in polystyrol:</b>	23 g

<b>34-injection pressure:</b>	2.236 bar
<b>40-CONTROL:</b>	Mosaic
<b>41-screen language:</b>	DE
<b>42-operating manuel:</b>	DE
<b>50-EQUIPMENT:</b>	Holmverlängerung 200 mm, 1x Kernzug für Drehen, Robot PL60 verfügbar!
<b>51-core pulls:</b>	2 + 1
<b>52-air valves:</b>	ja
<b>53-hot runner control devices:</b>	12
<b>54-robot interface:</b>	EM 67
<b>60-GENERAL DATA:</b>	-
<b>61-installed heating capacity:</b>	8,4 kW
<b>62-pump drive power:</b>	38,4 kW
<b>63-total installed power:</b>	Motor + Heizung
<b>64-total weight:</b>	6.500 kg
<b>65-total size L x B x H:</b>	5,2 x 1,8 x 3,6 m