

Overview

Ferromatik Milacron Elektra evolution EE155- 450, 2004

Ferromatik Milacron

Product number: 0-50020



Price

Price on request

Prices excl. VAT plus shipping costs



Description



terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Ferromatik Milacron
02-type:	EE155-450
03-year of construction:	2004
04-condition:	aus laufender Produktion
05-operating hours:	ca. 34.000
10-CLAMPING UNIT:	-
11-clamping force:	155 t
12-opening path:	440 mm
13-mould installation height min:	200 mm
14-mould installation height max.:	590 mm
15-tie bar distance (h x v):	520 x 520 mm
16-plate dimension (h x v):	780 x 780 mm
17-centering (fix- movingplate):	125 mm
20-INJECTION UNIT:	IU450
21-screw diameter:	40 mm
22-injection weight in polystyrol:	206 g
23-stroke volume:	226 cm ³
24-injection pressure:	1.985 bar
30-CONTROL:	IQT44
31-screen language:	DE
32-operating manual:	DE



40-EQUIPMENT:	-
41-core pulls:	2 x hydr. + 1 x pneum.
42-air valves:	1
43-hot runner control devices :	-
44-robot interface:	Euromap 67
45-other equipment :	-
50-GENERAL DATA:	-
51-installed heating capacity:	13,1 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	7.800 kg
55-total size L x B x H:	5,2 x 1,6 x 2,1 m