

Overview

Krauss Maffei KM50-180AX, 2013

Krauss Maffei

Product number: 50023



Price

Price on request

Prices excl. VAT plus shipping costs



Description

terms of delivery: EXW (ex Works)
delivery time: on request
terms of payment: 100% prior to delivery

Product information

01-manufacturer:	Krauss Maffei
02-type:	KM50-180AX
03-year of construction:	2013
04-condition:	aus laufender Produktion
05-operating hours:	ca. 26.000
10-CLAMPING UNIT:	-
11-clamping force:	50 t
12-opening path:	300 mm
13-mould installation height min:	150 mm
14-mould installation height max.:	470 mm
15-tie bar distance (h x v):	410 x 360 mm
16-plate dimension (h x v):	510 x 460 mm
17-centering (fix- movingplate):	125 mm
20-INJECTION UNIT:	IU180
21-screw diameter:	25 mm
22-injection weight in polystyrol:	54 g
23-stroke volume:	59 cm ³
24-injection pressure:	2.500 bar
30-CONTROL:	MC5
31-screen language:	DE
32-operating manual:	DE



40-EQUIPMENT:	-
41-core pulls:	2 x (Hydr. Kernzug-Aggregat)
42-air valves:	2
43-hot runner control devices :	6
44-robot interface:	Euromap 67
45-other equipment :	Qualitätsüberwachungspaket
50-GENERAL DATA:	-
51-installed heating capacity:	8,1 kW
52-pump drive power:	entfällt
53-total installed power:	Motor + Heizung
54-total weight:	3.700 kg
55-total size L x B x H:	4,4 x 1,6 x 1,9 m